

02-04-00

A

APPLICATION FOR U.S. PATENT
TRANSMITTAL FORM

February 03, 2000
Box PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

EXPRESS MAILING label number: EJ653523456US
Date of Deposit: February 03, 2000
I hereby certify that this paper is being deposited with the U.S.
Postal Service Express Mail Post Office to Addressee Service under
37 C.F.R. § 1.10 on the date shown above and is addressed to the
Assistant Commissioner of Patents, Washington D.C. 20231.

Alan W. Lintel
Alan W. Lintel

Dear Sir:

Transmitted herewith for filing is the patent application of:
Inventor(s): Lintel III et al

EJ653523456US

For: Healthcare Information Network

Enclosed are: 32 pages of specification (including claims)
13 sheets of informal drawings
Verified Statement
executed Declaration and Power of Attorney
Assignment with cover sheet

FEE Calculation					FEE
				Basic Fee	345
	Number		Extra	Rate	
Total Claims	16	-20	0	9	0
Independent Claims	1	-3	0	39	0
				Assignment	40
				Total Fees	\$385

A check for the filing fee is enclosed in the amount of the TOTAL FEES set forth in the above table. The Commissioner is hereby authorized to charge any additional fees which may be required, or credit any overpayment to deposit account number 01-1615 of Anderson, Levine & Lintel, L.L.P. **A duplicate copy of this sheet is enclosed.**

All correspondence regarding this application may be directed to Applicants' attorney at the below listed telephone number and address.

Respectfully submitted

Alan W. Lintel
Alan W. Lintel

Correspondence Address

Alan W. Lintel
12160 Abrams Rd.
Suite 111
Dallas, Texas 75243-4523
(972) 664-9595

Applicant/Patentee: Lintel et al
Title: Healthcare Information System

Attorneys' Docket No.

**VERIFIED STATEMENT CLAIMING SMALL ENTITY STATUS
(37 CFR 1.9(f) & 1.27(c)) -- SMALL BUSINESS CONCERN**

I hereby declare that I am an official of the small business concern empowered to act on behalf of the concern identified below:

Name of Small Business Concern: **Zansor Systems, LLC**
Address of Small Business Concern: **486 Huntcliff Green
Atlanta, Georgia 30350**

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 13 CFR 121.12, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees to the United States Patent and Trademark Office, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention, entitled **Healthcare Information System**, by inventors **Albert G. Lintel III, Joseph A. Vescio, and Joseph L. Helmick** described in the specification filed herewith.

If the rights held by the above-identified small business concern are not exclusive, each individual, concern or organization having rights in the invention is listed below, and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 CFR 1.9(c) if that person made the invention, or by any concern which would not qualify as a small business concern under 37 CFR 1.9(d), or a nonprofit organization under 37 CFR 1.9(e):

NONE

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or my maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

Name of Person Signing: **Albert G. Lintel III**
Title of Person if other than owner: **President**
Address of Person Signing: **486 Huntcliff Green
Atlanta, Georgia 30350**

Signature:



Date:

2/2/00

HEALTHCARE INFORMATION NETWORK

CROSS-REFERENCE TO RELATED APPLICATIONS

This application claims the benefit of the filing date of co-pending provisional application U.S. Ser. No. 60/119,041, filed February 5, 1999, entitled "Healthcare Information Network" to Lintel et al.

5 STATEMENT OF FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

Not Applicable

BACKGROUND OF THE INVENTION

1. TECHNICAL FIELD

This invention relates in general to health care and, more particularly, to a
10 healthcare information system.

2. DESCRIPTION OF THE RELATED ART

A significant problem in providing health care services is the confirmation process which ensures that a patient's health plan coverage is appropriate to cover the health services to be rendered. A health plan has certain characteristics
15 that define the benefits for the eligible patient and informational requirements for the eligible patient to obtain those benefits. The following are typical:

A. Effective dates or period of coverage

B. Cost sharing

1. Co-pay office visit
2. Co-pay emergency visit
3. Deductible

5

C. Covered services

1. Approved Healthcare providers

- a. Primary care physicians
- b. Specialty physician
- c. Hospitals
- d. Pharmacies and suppliers of medical equipment
- e. Free standing laboratory and radiology facilities
- f. Home health providers
- g. Long-term and special care centers

10

2. Procedures or diagnostic test based on clinical criteria

3. Formats for obtaining authorization for referral to approved providers

- a. Printed forms that are filled in and faxed
- b. Telephone processes using dialtone input
- c. Telephone process using person to person information exchange
- d. Web based forms
- e. Direct electronic data interface devices (EDI).

20

4. Information required for referral authorization

- a. Primary physician name
- b. Primary physician plan ID number
- c. Primary physician address, fax and phone number
- d. Referred to provider's name
- e. Referred to provider's plan ID number
- f. Referred to provider's address

25

- g. Diagnostic and procedure codes
- h. Member's plan ID, name and date of birth

D. Billing information

1. Employer sponsor
2. Responsible person or policy holder
3. Persons covered under policy holder
4. Mailing address
5. Approved format
 - a. Printed forms
 - b. Electronic claims submission (EDI)
6. Time period for claim submission
7. Identification numbers (policy and group)

(A), (B) and (D.1-4) are usually printed on the patient's insurance card.

Most other information is usually contained in the manual the provider receives after contracting with the given health plan. (C.1.a-c) may be in a manual carried by the patient and (C.2.) may be in the form of instructions on contacting the plan with medical information before the procedure or test is approved.

Ideally, a patient presents to the provider with the insurance card. The patient is billed for the co-pay on the card and the remaining deductible. If a referral is required, the patient is sent to the approved provider and the bill is submitted, as instructed in the manual. In practice, the following errors, omissions or delays occur:

- A. The patient may give or present information that he is covered when he is not.
- B. The patient may not have a card, the card may be out-dated, or invalid.

C. The patient may be on a contracted health plan, which is administered by a third party or employer, and has different billing information than the typical health plan.

D. Determining approved providers for referral:

- 5 1. Changes may have occurred since the last printing of the manual.
2. Providers may be listed only in the patient's manual, which is unavailable.
3. Providers may be listed only by county, without regard to specific location or hospital affiliation, if admission is required.

10 E. Billing information may have changed since the last printing of the manual.

F. Clerical staff may introduce errors or omissions by manual data input.

15 Traditionally, the insurance information for the patient is entered manually in the patient record when he presents to the office. After the patient's visit, his financial obligation is billed to him and a claim is submitted to the carrier according to written instruction. The acceptance or rejection of the submitted claim usually determines eligibility or verification that a patient is on a health plan. This occurs either by mail or electronic claims submission. It may
20 also be done by telephone, which tie up staff from other duties.

Health insurance plans that manage patients' care do so by restricting the patient to providers approved by the plan. In general, when a patient requires care beyond that of the primary physician, the plan will reimburse those providers who are approved by the plan for referrals made by the primary
25 physician. The process whereby an insurance plan acknowledges this care will be reimbursed is generally referred to as "authorization". Authorization may require only that the primary physician fax or mail a form containing information to them, or it may require the submission of specific information and

issue a specific authorization number prior to approving reimbursement for services requested by the referral.

Each plan has a specific process and may allow multiple processes (C.3.). When a referral is suggested to a patient by their primary physician, the most common practice is for the patient find, and make an appointment with, a plan approved provider. After the appointment is made, the patient calls the primary physician's office with the name of the provider and the appointment date. The primary physician then completes the authorization process required by the plan and faxes the authorization number to the referred to provider. In most cases, the referred to provider will require documentation of authorization before accepting plan reimbursement for services provided to the patient.

In this regard, (C.3.a.) may be supplied by the insurance plan as printed forms which the provider copies, completes and then faxes back to the insurance plan. (C.3.b-c) are usually written procedures supplied to the provider by the plan and often with a printed template that can be copied and used for exchanging information over the telephone. (C.3.d) is software or procedures for using a web base browser that enable a provider to complete the referral on a "web page". (C.3.e) are proprietary input devices such as a "swipe card reader" terminal that use an EDI connection.

Completing the authorization process involves many time consuming procedures involving required information(C.4.). When submitted forms are used, they are usually completed by hand since many require boxes to be "blacked out" to be read later by optical character recognition devices. Redundant information must be manually entered on each form (4.a-c). Other types of information require that manuals be searched for the various numbers(4.d-g). For authorizations requiring a specific authorization number from the plan, the staff usually contacts the plan by phone using a manual dialtone entry procedure. Most dialtone processes will terminate unless the

required numbers are rapidly entered in a certain sequence. To avoid termination, the staff must fill out a form or template to prepare for entering the information. Web based forms require Internet dialup for each session unless the office has a dedicated connection. EDI devices serve only a limited number of
 5 plans participating with companies providing the necessary equipment.

This system has significant adverse consequences. For the confirmation of health plan eligibility, real time confirmation (typically by telephone), and referral authorization, consumes the staff time of both provider and health plan and confirmation by claims submission increases the billing cycle and produces
 10 duplication of effort. The manual data input increases time spent by patient and staff and produces a higher error rate than automated entry. Incorrect co-pay or deductible results in under and over-charging requiring rebilling and refunding procedures. Incorrect patient address results in delayed or non-collection of charges. Incorrect billing information results in the claim being returned and
 15 delayed, rebilling procedures, and sometimes loss of charges due to time factors. Inability to quickly and accurately identify approved providers for referral may results in increased staff work to search and call for information and delays in patient care. Referral to a non-approved provider may result in increased staff work required correcting the referral, non-payment by the health plan to the
 20 "non-approved" provider who then charges the patient and higher than usual charges from the "non-approved" provider made to the health plan.

Incorrect information provided by a patient at one provider may be repeated at other providers. This results in a cycle of redundant information correction, at multiple providers, for a single error.

25 A limited number of online systems (Internet or direct dial-up) provide the ability for a provider to connect with a database server that has some of the information listed in the first section. These databases only contain information that is shared with them by a health insurance carrier or plan which has an

agreement to do so. Updated information is supplied only by the insurance carrier or health plan. Healthcare providers access these systems when the patient arrives at the office, or after the patient has been treated.

These online systems also have server-related problems. The server or
5 connection may be unavailable or slow, and time is spent waiting for connection, unless dedicated line is purchased. The patient's health plan may not share information with the online system, and the patient's health plan may not regularly update information with the online system. Further, the information is typically accessed through a browser interface, which can not automatically
10 export the information into their office management software, requiring increased staff time and error due to manual data input. Referrals made by web browsers must then be printed and manually faxed to the referred to provider.

The speed, and allocation of staff resources, required to give medical care to a patient is dependent upon the accuracy and availability of information
15 pertaining to patients' health plans. Further, the provider's profit for providing medical care is directly related to both the amount of staff resources needed to provide this care, and the efficiency and timeliness of collecting payment for these services.

Current systems suffer from the inability to give the health care provider
20 consistent, timely and accurate information regarding patients' insurance status and requirements. The traditional system can only obtain the correct information after the claim has been submitted or by utilize staff to make telephone calls. Online systems have information that is limited to the health plans agreeing to share data, and is therefore fragmented. It is also subject to
25 disruption in the telecommunications network and restricted in interfacing with the providers' software systems.

Year	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100
1970	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100

BRIEF SUMMARY OF THE INVENTION

In the present invention, a healthcare information system comprises a central information system having a global database and a plurality of provider office systems. Each provider office system includes a local database and
5 processing circuitry for accessing the database for insurance information related to a patient's insurance plan, generating revisions to the insurance information, and uploading the revisions to the central information system. The central information system includes update circuitry for receiving the revisions from each of the provider office systems and generating updates to the local databases
10 of all of the provider office systems responsive thereto.

The present invention provides significant advantages over the prior art. If any healthcare provider in the network encounters inaccuracies or omissions in their local database, that information is automatically uploaded to the central information system for modification of the global database after verification.

15 Accordingly, each provider in the network benefits from the updates or corrections attributable to any provider in the network. As a result, highly accurate and up-to-date information is available to all healthcare providers for various purposes, including eligibility and benefits verification and referral authorization.

BRIEF DESCRIPTION OF THE SEVERAL VIEWS OF THE DRAWINGS

For a more complete understanding of the present invention, and the advantages thereof, reference is now made to the following descriptions taken in conjunction with the accompanying drawings, in which:

5 Figure 1 is block diagram of a healthcare information network;

 Figure 2 is a flow chart describing operation of an office download routine;

 Figure 3 is a flow chart describing operation of an office patient information routine;

10 Figure 4 is a flow chart describing operation of an office upload routine;

 Figure 5 is a flow chart describing operation of an operator verification routine;

 Figure 6 is a flow chart describing operation of an administrative verification routine; and

15 Figure 7a is a state diagram showing referral request operations;

 Figures 7b - 7f are screen displays used in referral requests;

 Figure 8 is a flow chart describing operation of a SQL Update Routine;

 Figure 9 is a diagram of a form used to input and display information; and

20 Figure 10 is a flow chart describing a search routine for encrypted information.

DETAILED DESCRIPTION OF THE INVENTION

The present invention is best understood in relation to Figures 1 - 10 of the drawings, like numerals being used for like elements of the various drawings.

Figure 1 illustrates a overall diagram of a healthcare information network

5 10. A central information system 12 associated with a call center 13 has a global database 14. Office systems 16 are connected to the central information system 12 through the Internet 18. Each office system 16 includes an e-mail program 20 for receiving and sending information, a local database 22 and a healthcare information system 24. Optionally, the office system can have an external link

10 program 26 to link database information to different computers 27 or an internal link program 28 to link database information to other programs 30 on the same computer.

In operation, the healthcare information system 24 is a computer program that does several related things for a doctor's office. Basically, it looks up non-

15 medical information about a patient's insurance plan from the local database 22 stored on the computer (or on another computer in the network). When the patient checks in, and tells the receptionist his or her name, the receptionist will type in a few letters of the last name and the computer will reveal the insurance information and address - all the things would usually be filled in by hand. It

20 will also tell if a given patient is actually covered by a certain insurance plan. In the office, if the patient needs a referral, the staff will use the program, at a computer terminal, to look up the specialist, pharmacy or lab that is covered under his insurance plan. When the patient leaves, office staff will use this program to find the correct billing addresses, co-pay and deductible. This will

25 avoid the bill being returned from the wrong address and delaying payment, or rebilling due to incorrect co-pay or deductible.

The information that is being looked up is stored locally in the office systems 16 as a database or table. Where multiple network computers in an office system 16 are used with the healthcare information system 24, one computer on the network will store the local database 22. The healthcare information system program 24 accesses this database, and displays information about a patient's insurance on the computer screen. Every day (or other period determined to be appropriate), the healthcare information system 24 in each office (or a designated one of the healthcare information systems in an office with multiple networked computers) connects to the Internet (or other telecommunications medium) by modem or other communications device in order to synchronize its local database 22 with the global database 14. In the preferred embodiment, changes to the local databases 22 are made using a binary file attached to an e-mail (such as a POP3 e-mail system); the binary file contains SQL commands to modify records in the database for synchronization. Other ways of communicating the synchronizing information could also be used. If there is an e-mail, the binary file is downloaded into the computer and the binary file is executed. This way, the office information in the local database 22 is always up-to-date within two days.

Sometimes, when the program looks up information (like a patient's health plan or patient specific information), it will not be in the office database on their computer, or the information may be incorrect. When this happens, the health information system sends this new or modified information obtained at the office system 16 to the central information system 12 by e-mail. Changes are generally maintained in a single file to be sent to the central information system at the end of the day.

The call center 13 uses skilled workers to verify and correct information that enters the feedback loop from the providers. The call center operators can be located anywhere that is appropriate and can communicate with the call

center through an Internet connection. When the call center 13 receives an e-mail from one of the office computers 16, the database is updated, which may require that the central information system (automatically or manually) contact the appropriate insurance carrier and obtain or confirm information about health plan and make sure the patient is on the plan. The information which requires confirmation can be sent via e-mail to the first available operator or by other criteria, such as the type of information involved or by the specific health plan or coverage type. The new information is then added to the central information systems global database 14.

As information is modified in the global database 14, triggers are generated which write SQL commands (inserts, updates and deletes) to a repository 32. The repository 32 thus documents all changes made to the global database 14. At predetermined intervals, the repository 32 is closed and the SQL binaries are generated for each of the local databases 22. The binaries for some or all of the local databases on the system may be different, since the databases which have sent data modification messages to the central information system will be different from other local databases. A new repository is started for the next group of changes. If the local databases are small relative to the speed of transmission (for example, if the healthcare information system is being used only for referrals), the entire database 22 can be replaced as necessary.

In the preferred embodiment, each e-mail is encrypted with a office-specific private key. This provides security for the patient information being sent on the Internet and keeps an e-mail intended for one office from inadvertently, and possibly incorrectly, updating the database of another office. The information may also be compressed for faster transmission.

When the offices' computers check for new information the next day, they will all get the information necessary to update the local databases 22 to the

global database 14 as of the time the repository 32 was closed. Any patient or plan added by any one of the offices in the system the previous day will be available to all offices in the system. The staff is then able to view patient or health plan information on the computer screen if any one of the local databases
5 in the system has this information.

If a change is related only to an element unique to the individual (such as a home address), then all providers on the system have that corrected information available for this individual. If the change is related to an element that is shared by many individuals (such as a change in a health plan co-pay),
10 then all providers on the system have the corrected information for all individuals sharing that element (co-pay). For example, assume a new employer arrives in the area with an accepted health plan, but different co-pay and billing address. Currently, each provider who sees a patient on this plan, for the first time, is subject to all procedures and consequences of dealing with the new
15 information requirements (i.e. calling the health plan for information or incorrectly billing). Under the inventor's system, the first provider in the system who saw a patient on this plan would not find the employer listed on the office database. This new employer and other data would therefore be uploaded to the call center where complete information would be obtained and verified by the
20 health plan sponsor or employer. This information would then be fed back to all the providers on the system, precluding further procedures or consequences.

Since the local database 22 in each office includes the most up-to-date information, it may be desirable to share the information with other computer programs used by the office. Accordingly, the local database 22 may be linked to
25 these other systems, either by porting or linking the information to another computer (which may be necessary when the other system uses a different operating system than the healthcare system) or by providing software to port or link the information to another database on the same computer.

The present invention overcomes deficiencies in current systems by two structures that combine to form a unique process of information sharing: 1) a locally residing, user database that is updated by e-mailed SQL instructions to "mirror" a global database and 2) an electronic call and administrative center that
5 collects and confirms information, discrepant to the local database, which is then used to update the global database. This process serves to continually produce information that is more complete and accurate.

SQL instructions (or similar instructions) provide an efficient alternative to downloading the entire database for the purpose of updating, especially for
10 larger databases. Because a health provider's office system 16 is usually faster and more reliable than an online connection, using a local database provides superior performance with less downtime. A local database 22 is also more easily configured to interface information to other office systems without manual effort. The office database may be accessed by a user interface that only allows
15 "drop-down" selection for less complicated operation. All typed or "free text" information could be sent to the call center for verification before being downloaded back to the providers' office system 16 for final entry. This ensures that patient data, when exported to other office systems, has the least chance of causing a propagation of error.

20 Conceptually, the system functions as a shared feedback loop, which accumulates relevant health plan information on all patients presenting to all providers in the system. As more patients enter the system, an increasingly complete database of health plan information and eligible enrollees develops. The completeness of the database increases with both time and the relative
25 number of providers in the system. Data sharing by insurance companies 34 can be used to increase completeness (either by sending information electronically or providing tapes or printed materials to be loaded at the call center), but this effect diminishes as the former two factors increase. Therefore, the system

becomes self-sustaining with only the participation of the providers who are rendering care to the patient.

Flow diagrams describing basic operation of the system are provided below. In Figure 2, an office download program is shown for incrementally updating a local database 22. In step 40, a timer on the office system 16 initiates the update routine. In step 42, a dialup routine creates a connection to an e-mail server associated with the office system (some technologies such as cable modems and DSL do not require a dialup). In step 44, the SQL instructions from the central information system 12 are downloaded as an attachment to an e-mail. The current local database 22 is copied as a backup in step 46 and the SQL instructions are executed to update the local database 22. These instructions synchronize the local database 22 to the global database 14.

Figure 3 illustrates a flow chart describing the accessing and updating of information in the local database 22 by the healthcare providers. In response to an input of a patient ID (or all or part of the patient's name) in step 50, insurance information for the patient is retrieved and displayed in step 52. If the patient is not in the local database in decision block 54, a new patient entry is made in step 56. After saving the information in step 58, the new information is stored in a record in a file (the "Action" table) in a text format (step 60). The record may be printed for temporary reference in step 62. Returning again to decision block 54, if the patient has an entry in the local database 22, but the information is incorrect in blocks 63 and 64, the user may unlock the record for modification in step 66. The modification affects only the local database 22 for that particular healthcare provider. Changes to the information are saved in step 58 in the Action table. At a designated time, the Action table is uploaded to the central information system 12, where it is verified and used to update the global database 14 (see Figures 5 and 6).

This healthcare information system program includes the main graphical interface with the clerical end-user in the physician's office. The preferred interface is a "form" type, which queries the local database 22, for the patient's record. If the record is found, and correct for the patient, it may be printed as part of the patient's chart for the visit, or may be sent to other office programs which use the information. If the patient is not found, or incorrect, the new information is entered into the same screen. This record is then saved in a separate file as "new". This "new" table is sent to central information system 12, daily, for verification of information. A particular embodiment for entering information is shown in connection with Figure 9.

Figure 4 illustrates an office upload routine. In step 70, the upload routine is initiated responsive to predetermined time criteria (typically, after office hours). In step 72, the Action table is copied to a backup. In step 74, the Action table is attached to an e-mail addressed to a mailbox associated with the central information system 12. The e-mail client accesses the Internet in step 76 and sends the e-mail in step 78. In step 79, the e-mail client disconnects from the Internet (if necessary).

Figure 5 illustrates an operator verification routine for patient eligibility and benefit modifications and additions. This program uploads new and modified records, originating from the providers' office, via e-mail to the central information system 12. In step 80 the routine is initiated based on predetermined time criteria. In step 82, the central information system retrieves e-mail from a mailbox in an associated mail server. Attachments to the retrieved e-mails are converted to a desired database format in step 84. In step 86, the various modifications are matched with plans in the global database 14 to determine whether the modification is for a new plan or is a modification of existing information. In decision block 88, if the plan is in the global database 14 (i.e., a modification), the plan is contacted (for example, manually by phone or

automatically through an Electronic Data Interchange, or EDI, connection) to verify eligibility and deductible information in step 90. If the patient is eligible in decision block 92, the patient's eligibility and deductible are documented in step 94. After documentation in step 94, or if the plan is not on the database in decision block 88 or the patient is not found to be eligible in decision block 92, the outcome is stored in an Administrative Table (step 96) which is e-mailed to an the Administration department which makes the final changes to the global database in step 98.

The routine shown in Figure 5 preferably provides a graphical user interface to match "new" records with the type of information that needs to be verified or obtained. Information that can be verified at the skill level of the operator (such as determining if the patient is eligible for the plan) is completed and documented here. Records containing information above the operator's skill level (if the plan is not in the database or eligibility cannot be verified) are sorted out. All records are routed to administration for further work and entry into the global database 14.

Figure 6 illustrates a flow chart describing an administrative database routine. In step 100, the records from the Administrative Table generated in Figure 5 are received by the Administrative department. The global database 14 is queried for matching records to compare with the records in the Administrative Table in step 102. In step 104, the result of the query is used to generate comparison table to view on screen. In step 106, administrators compare the data from the Administrative Table with the comparison tables. If the modification/addition information can be verified by a visual inspection (decision block 108), records for changing the global database are created to include the new or changed information in block 110. If the information cannot be verified, further research is performed in block 112 prior to generating the new/modified records in step 110. After backing up the global database 14, the

new/modified records from step 110 are used to update the global database 14 in step 114.

Figure 7a illustrates a state diagram showing referral authorization. In referral authorization, a first healthcare provider, the “referring physician” refers a patient to a second physician, the “specialist”. While the two healthcare providers are referred to herein as “referring physician” and “specialist”, in actual practice, either or both of the physician’s could be specialists or general practitioners. In many insurance plans, the specialist must be on an approved list of physicians under contract to the insurance company and, further, the referral must be approved prior to the appointment between the patient and the specialist for full insurance reimbursement. In state 120, the referring physician’s office refers the patient to a specialist. To do so, the referring physician must know which specialists are available under a given insurance plan.

Referring to Figures 7b through 7e, a preferred embodiment for entering referral information using the healthcare information system program 24 is shown. In Figure 7b, a list 160 of insurance plans is displayed by the healthcare information system 24 (if the patient information has been entered, the patient’s plan will already be known). The patient’s insurance plan is chosen from list 160 and the “Next” button 162 on the screen is pressed. As shown in Figure 7c, responsive to the selected insurance plan, a list 164 of specialties is displayed. The desired specialty is chosen from list 164 and the Next button 162 is pressed again (the series of choices can be reversed and re-entered by pressing the “Back” button 166). Responsive to the selection of the specialty, a list 168 of specialists for the plan is displayed, as shown in Figure 7d.

Selecting one of the specialists from the list 168 causes a form to be displayed. An exemplary form 170 is shown in Figure 7e. In the preferred embodiment, the form displayed to the by the healthcare information system 24

has the same layout and fields as the form which would normally be filled in manually for a patient referral. The user may also choose to enter a specialist not found on the list by selecting the "unlisted" category and typing the specialist's name into the form. Selecting the "unlisted" category creates a separate email message with the specialist name and plan name. This message is then researched and if the specialists approval by the plan is verified, he or she is added to the global database. The forms for the various insurance plans are kept in the forms database 23. Information for the patient, referring physician and the specialist are automatically filled by the healthcare information system responsive to data in the local database 22. Other information is filled in at the keyboard or by using pull-down menus, where appropriate.

Referring again to Figure 7a, once the referral form is completed, it is sent by e-mail to the central information system 12 in state 122. Only the data from the fields of the form is sent in the e-mail, not the form itself, as will be discussed in greater detail hereinbelow. The e-mail progresses through the Internet and is retrieved by the e-mail robot 124 of the central information system 12. The e-mail robot checks for new e-mail periodically. The referral request is stored in the referral database 126.

If the insurance plan provides for EDI authorization, a referral request is sent by a EDI sender robot 128 which periodically checks the referral database 126 for referral requests which can be handled through EDI. The EDI sender robot sends the referral request to the appropriate insurance carrier EDI receiver 130, which replies with an authorization or denial through a corresponding insurance carrier EDI sender 132. The authorization/denial is passed through an EDI receiver robot 134 to the referral database 126.

If the referral request was denied in an EDI transaction or if the referral request cannot be made using an EDI transaction, it is passed to an

operator/administrator associated with the central information system 12. Non-EDI referral requests are made by an operator/administrator using touch-tone authorization 136 or by direct phone call to insurance company administrators 138. Authorized referrals are passed by the operator/administrator to the
5 referral database. Denied referrals, either by EDI or manually, are researched and correcting entries are generated to update the global database 14 in step 140. In general, denials are caused by an incorrect patient ID number, referring physician ID number or specialist ID number.

Referral status is sent to the local database 22 of the referring physician's
10 office via e-mail in state 139. As described above, the information can be sent as an attachment to an e-mail message that is copied to the local database. The referring physician may review the status of referral requests, as shown in Figure 7f. In addition, a fax of the authorized referrals is sent to both the referring physician's office and the specialist in state 140. Direct fax authorization requests
15 are sent to the insurance company when this method is appropriate. In the preferred embodiment, an authorizing fax is generated and sent as an e-mail message via the outgoing e-mail robot 142 to an Internet fax service 144.

Figure 8 illustrates an SQL Update routine for updating the local
databases 22 at each office 16. As shown above, information has been verified
20 and entered into the global database throughout the day for eligibility and/or referral purposes as shown in block 180. Corresponding to the changed records, tokenized lists of data of SQL data manipulation instructions are generated in step 182 and are stored in the repository 32 until ready for sending to the offices 16 via e-mail (step 184). Since offices in different regions of the country will have
25 different databases of insurance information, the SQL instructions will not be the same for all offices (assuming the network 10 spans multiple geographic regions). In step 186, the instruction writer routine accesses the Internet and closes the batch of instructions for transmittal in step 188. In step 190, the

instruction writer routine composes the sets of SQL instructions and attaches them to e-mail messages to the offices 16. In step 192, the instruction writer routine disconnects from the Internet. These SQL instructions that are retrieved by the office download routine (see Figure 2) to produce an updated local
5 database 22 that is synchronized with the global database 14.

As discussed hereinabove, the preferred embodiment uses a graphical interface that allows healthcare personnel to enter and view information using electronic forms which replicate the paper forms provided by the insurance companies. Using standard forms reduces the learning curve in operating the
10 healthcare information system 22. Forms may be revised, added and removed concurrent with the downloaded database updates. However, it is desirable to store and transmit information from the forms separate from the form itself.

The system uses a proprietary page definition language (PDL) to accurately render insurance forms in various ways. Using the actual images of
15 the forms with which users are familiar is the best way to reduce the training curve and to protect the continuity of the overall business process during the transition from manual to electronic filing of referrals and eligibility requests. The ZFD (Zansor File Definition) file format described herein is used throughout the healthcare information network 10 to (1) render forms on-screen for display
20 only, (2) render forms on-screen for editing and updating, (3) render forms for printing and (4) render forms for faxing. ZFD contains information about the form's layout, content, and content attributes. It is a full-featured single-page definition language.

ZFDs are text-only messages, and can be encrypted as other text can be
25 encrypted to safeguard the information contained within to support ethical and business needs for confidentiality. They can be stored as-is in a database, or parsed and interpreted by applications in the healthcare information network 10.

Because the insurance forms are important to the operation of the healthcare information network 10, many applications used in the healthcare information network 10 are equipped to read and interpret ZFDs in order to act on the information contained therein.

- 5 At its highest level, the ZFD format contains two sections: (1) page metadata – information about the form itself, applying to all parts of the form and (2) item metadata – individual data items on the form.

A sample of a form metadata file is listed below:

FormName=FamilyPlus
 TimeStamp=08/29/1999 22:55:20
 Version=1
 ImageName=FamilyPlus.bmp
 AuthModel=1
 AuthPhoneNumber=404-315-3887
 END

The ZFD page metadata is a tagged data format, meaning that the data is preceded by a tag name and an equals sign, as shown above. This allows for quick and intelligent parsing of the page metadata, and provides flexibility in updates to the format, as the items are not position-dependent.

Table 1 – Page Metadata

Tag	Description	Notes
FormName		A descriptive name given to each form for use in the user interface and internally.
TimeStamp		Timestamp information allows tracking of the ZFD by time.
Version	ZFD version identifier	ZFDs may exist in various versions during the course of changes. This identifier can be used to make decisions and process different versions differently.
ImageName	Name of image file on system	Rendering is done using actual images of the forms. Image data is not part of the ZFD, so as to save space and bandwidth. Each component that uses ZFDs subscribes to a subsystem which keeps forms and the referenced images in synchronization.
AuthModel	Authorization model identifier	Used by various parts of the system to provide intelligent routing of the referral/eligibility data based on pre-defined business models. Different requests, with different authorization models, can each be routed in an efficient and customized manner based on the value of this tag.

AuthPhoneNumber	Phone number to dial for the authorization	Later to be used by operator and supervisor auto-dialer utilities
END		Terminates the page metadata

The item metadata is a mixture of fixed- and variable-length data that is used to render and contain information about individual items that appear on forms.

5

Table 2 - Item Metadata

ELEMENT	Description	Notes
flags	fixed-length position-dependent text element	various one-character text items which identify the item in various ways; currently most of these flags are unused
ordinal 1	order of the element on the form	used for ordering and re-ordering the element during rendering and editing
ordinal 2	order of the element on the form	used for ordering and re-ordering the element during rendering and editing
left top width height	screen and paper positioning units, used for placing the item at the correct position for viewing and printing	
font name	Windows TrueType font name for rendering item	
font size	Windows TrueType font size for rendering item	
maximum length	maximum length for text input items	used for user-editable items only
category	integer identifying item's "category" for processing and rendering purposes	different categories are processed and differently, and many categories are used to tag the contents (q.v.) of the item so that the contents can be interpreted appropriately
registry section	section of the Windows registry entry from which this item comes	some data items come from the Windows registry, and this item allows the interpreting application to locate the correct Windows registry item
registry key	key of the Windows registry entry from which this item comes	some data items come from the Windows registry, and this item allows the interpreting application to locate the correct Windows registry item
contents	text	user's input, pre-defined output, and other data resides here and is read-only or read-write depending on the application interpreting the ZFD
END		terminates the item metadata

Figure 9 graphically illustrates the relationship between a form and the metadata files. The page metadata 200 points to a form image 202 in an associated form database 23. The image can be a bitmapped image or other image file type. The item metadata 204 defines the fields 206 and associated field contents (i.e., the data) to be mapped to the form image.

The metadata files can be easily stored and transmitted as a very compact file. Further, the files can be encrypted, if desired.

In the preferred embodiment, the data in the local database 22 is encrypted, for a number of reasons. First, encryption prevents the unauthorized viewing of patient information. Second, encryption prevents the databases, which may be in a standard database form, from being modified outside the healthcare information system program 24. Third, it prevents competitors from copying database information from a local database.

Encrypted information, however, can be difficult to search. In the present invention, searchable fields have a counterpart that is encoded in a many-to-one fashion. In the preferred embodiment, a Soundex encoding scheme is used.

The Soundex class of encoding schemes was developed to categorize names in a phonetic manner to provide fuzzy searches. The original Soundex encoding scheme used herein is based on that shown in Knuth, D.E., The Art of Computer Programming, Volume 3, page 392, Addison-Wesley Publishing Company (1973).

In the preferred embodiment, the Soundex fields in the database are not used to retrieve similarly phonetic names, but rather for hashing purposes. "Hashing" involves the "shrinking" of data into "containers" for faster retrieval. For example, if one can hash 1,000,000 names equally into 1,000 hash entries, then a search for a name involves two steps: (1) computing the hash value for the

name and (2) looking for the name in the (very much smaller) container of 1,000 names. The resulting performance benefit is therefore on the order of 1,000-fold.

The original Soundex encoding scheme has been modified as described below to improve its usefulness in hashing data. In general, a more specific, adapted algorithm is used to provide five-character codes, which have been found to be significantly more accurate. The Soundex index is not used to do direct searches, but rather to create hashing containers that are then stored with the encrypted data. The result is that data stored in a strongly encrypted format can be quickly found and displayed.

The Visual Basic source code for encoding a Soundex5 field is set forth below:

```
Public Function Soundex5 (ByVal s As String)
    Const CODE = "01230120022455012623010202"
    'abcdefghijklmnopqrstuvwxyz

    Dim sKey As String * 5
    Dim i As Integer
    Dim c As String * 1
    Dim sLast As String * 1
    Dim x As Integer
    Dim iPos As Integer

    On Error GoTo ERR_Soundex
    sKey = "00000"
    sLast = ""

    If Len(s) = 0 Then
        Soundex5 = sKey
        Exit Function
    End If
    s = UCase$(Trim$(s))
    For i = 1 To Len(s)
        c = Mid$(s, i, 1)
        If c = "," Then Exit For
```

```

If c >= "A" And c <= "Z" Then
  x = Asc(c) - 64
  c = Mid$(CODE, x, 1)
  If c <> sLast Then
    iPos = iPos + 1
    Mid(sKey, iPos, 1) = c
    sLast = c
  End If
  If iPos = 5 Then Exit For
End If
Next i
Soundex5 = sKey
Exit Function
ERR_Soundex:
Soundex5 = "00000"
Exit Function
End Function

```

A flow chart for retrieving data using the Soundex encoding is shown in Figure 10. In step 210, the user inputs data into a search field, such as a patient or doctor name. In step 212, a five digit Soundex index is generated, per the method described above. In step 214, the corresponding table in the local database 22 is sorted based on a field that contains a Soundex index corresponding to the field for which the search is being performed. Records with a matching Soundex index are decrypted in step 216 until a matching record is found.

The present invention provides significant advantages over the prior art. First, if any healthcare provider in the network 10 encounters inaccuracies or omissions in the local database 22, that information is automatically uploaded to the central information system 12 for modification of the global database 14 after verification. Accordingly, each provider in the network benefits from the updates or corrections attributable to any provider in the network 10. As a

result, highly accurate and up-to-date information is available to all healthcare providers for various purposes, including eligibility and benefits verification and referral authorization. Second, the electronic forms software provides an interface that is familiar to both the providers and the insurance companies, while maintaining a compact and secure data format. Third, the network significantly reduces the overhead, expense, and frustration associated with interacting with insurance companies for approvals of referrals and verification of eligibility. Fourth, a highly secure database is provided, while maintaining fast retrieval of information.

10 Although the Detailed Description of the invention has been directed to certain exemplary embodiments, various modifications of these embodiments, as well as alternative embodiments, will be suggested to those skilled in the art. The invention encompasses any modifications or alternative embodiments that fall within the scope of the Claims.

CLAIMS

1. A healthcare information system, comprising:
a central information system having a global database;
a plurality of provider office systems, each provider office system comprising:
5 a local database;
processing circuitry for:
accessing said database for insurance information related to
a patient's insurance plan;
generating revisions to said insurance information; and
10 uploading said revisions to said central information system;
and
wherein said central information system includes update circuitry for
receiving said revisions from each of said provider office systems and generating
updates to said local databases of all of said provider office systems responsive
15 thereto.
2. The healthcare information system of claim 1 wherein said
revisions include additional insurance information not in said local database.
3. The healthcare information system of claim 2 wherein said
revisions include changes to insurance information already in said local
database.
4. The healthcare information system of claim 3 wherein said
processing circuitry uploads said revisions using e-mail.
5. The healthcare information system of claim 1 wherein said update
circuitry verifies said revisions prior to redistributing said revisions.

6. The healthcare information system of claim 5 wherein said update circuitry verifies said revisions using electronic data interchange.

7. The healthcare information system wherein said update circuitry includes an e-mail server.

8. The healthcare information system wherein said update circuitry sends updates to the local database as attachments to an e-mail message.

9. The healthcare information system of claim 8 wherein said attachment includes one or more SQL instructions.

10. The healthcare information system of claim 1 wherein said local databases store encrypted insurance information.

11. The healthcare information system of claim 10 wherein records in said local database include a fuzzy search field, in which multiple records in said local database map to a given value in said fuzzy search field

12. The healthcare information system of claim 1 wherein said insurance information includes patient eligibility information.

13. The healthcare information system of claim 1 wherein said insurance information includes patient benefit information.

14. The healthcare information system of claim 1 wherein said insurance information includes doctor referral information.

15. The healthcare information system of claim 14 wherein referral information is submitted using electronic forms.

16. The healthcare information system of claim 15 wherein said electronic forms comprise a first text file defining a form image stored in said


local data base and a second text file defining data associated with respective fields on said form.

10001NP

ABSTRACT OF THE DISCLOSURE

A healthcare information network provides a global database at a central information system which is synchronized with local databases at respective healthcare provider offices. The local database are used by the healthcare providers for confirming patient and healthcare information. As patient and health plan information is added, updated or deleted from any of the local databases, files are generated to update the global database. The proposed changes to the global database are verified and the global database is modified. Modification of the global database is memorialized in a repository which is then used to produce SQL commands to update each of the local databases so that they are synchronized with the global database.

Figure 1






Fig. 2




Figure 4




Figure 5




Figure 6





Figure 7a



Zenstar Patient Referral (11.3.5)

File Send Configure Window Help

Select Carrier & Plan

162

Carrier Name Plan Name

(Self Pay)	Self Pay	(Self)
(Unknown)	(Unknown)	PRO
Aetna/US Healthcare	Aetna US Healthcare "Quality" QPOS	POS
Aetna/US Healthcare	Aetna US Healthcare Elec Choice PPO	PPO
Aetna/US Healthcare	Aetna US Healthcare HMO	HMO
Aetna/US Healthcare	Aetna US Healthcare Managed Choice POS	POS
Aetna/US Healthcare	Aetna US Healthcare Open Choice PPO	PPO
Aetna/US Healthcare	Aetna US Healthcare Traditional Indemnity	IND
Affordable	Affordable Healthcare Company	PPO
America's Health Plan	America's Health Plan	PPO
Americaid	Americaid	PPO
American Medical	American Medical Plans of GA	PPO
Anthem	Anthem	PPO
BC/BS	BC/BS FEP POS	POS
BC/BS	BC/BS GA Indemnity	IND
BC/BS	BC/BS of GA PPO	PPO
BC/BS	BC/BS Preferred Care of Georgia	PPO
BC/BS	Beechstreet PPO	PPO
BC/BS	Bell South PPO (BC/BS of Atlanta)	PPO
BC/BS	Blue Choice PPO	PPO
BC/BS	BlueChoice HMO	HMO
Capp	Capp Care	PPO
CCN	Community Care Network	PPO
Champus	Champus	PPO
Champus	Champus Select (Managed by Healthcare)	PPO
Cigna	Cigna HMO (local)	HMO
Cigna	Cigna HMO (National)	HMO
Cigna	Cigna PPO & PPO Plus	PPO
Cigna	Cigna PPO	PPO
Cigna	Cigna Select Choice	PPO

Fig. 7b

160

Referral Listing

Created	Status	Authorization #	Patient Name	Specialist Name
1/10/00 3:32:32	sent			
01/06/00 18:25	sent	B-20348	234342	Aras, Richar
01/02/00 20:29	sent	34553	Test Patient	CHA (egleste
01/02/00 20:27	sent		L.M. Attest	Cohen, Stew

Sort View/Print Form View/Print Ref

Fig. 7f

166

Back Next Message

162

96 matches

Allergy & Immunology	
Allergy and Immunology, Pediatric	
Cardiology or Cardiovascular Disease	
Cardiology, Pediatric	
Dentistry, General	
Dermatology	
Dermatology, Pediatric	
Endocrinology	
Endocrinology, Pediatric	
Family Practice	
Gastroenterology	
Gastroenterology, Pediatric	
Genetics, Medical	
Geriatric Medicine	
Gynecology (No OB)	
Hematology	
Hematology/Oncology	
Hematology/Oncology, Pediatric	
HOSPITAL - ED	
HOSPITAL - OP AUDIOLOGY	
HOSPITAL - OP LABORATORY	
HOSPITAL - OP OTHER	
HOSPITAL - OP RADIOLOGY	
HOSPITAL - OP REHABILITATION	
HOSPITAL - OP SURGERY	
HOSPITAL - OP URGENT CARE	
Hospital-based Physicians, Pediatric	
Infectious Disease	
Infectious Disease, Pediatric	
Internal Medicine	
Internal Medicine, Specialist	
Maternal and Fetal Medicine	
Neonatology	
Nephrology	
Nephrology, Pediatric	
Neurology	
Neurology, Pediatric	
Neuroophthalmology	
Neuropsychology	
OB-GYN	
Occupational Medicine	
Oncology, Gynecologic	
Oncology, Other	
OP CLINICS (Independent) - OTHER	
OP CLINICS (Independent) - REHAB	
OP CLINICS (Independent) - SPEECH	
OP RADIOLOGY (Independent)	
Ophthalmology	

164

9 refers to waiting Area/US Healthcare Area/US Healthcare HMO

1/13/00 10:32AM

Fig. 7c

166

162

168

Back Next Message				29 matches	
City	Provider Name	Phone / Fax	Address		
UNLISTED PROVIDER					
Alpharetta	Fisher, Michael S, MD	v (770) 664-5225	3400 A Old Milton Pkwy # 320		
	f on file		Alpharetta, GA 30004		
Alpharetta	Goldman, Gilbert C, MD	v (770) 664-5225	3400 A Old Milton Pkwy # 320		
	f on file		Alpharetta, GA 30004		
Alpharetta	Levine, David J, MD	v (770) 664-5225	3400 A Old Milton Pkwy # 320		
	f on file		Alpharetta, GA 30004		
Alpharetta	Luchetti, Mary Ellen, MD	v (770) 664-5225	3400 A Old Milton Pkwy # 320		
	f on file		Alpharetta, GA 30004		
Alpharetta	Patty, Arun L, MD	v (770) 664-5225	3400 A Old Milton Pkwy # 320		
	f on file		Alpharetta, GA 30004		
Alpharetta	Silverstein, Judith L, MD	v (770) 664-5225	3400 A Old Milton Pkwy # 320		
	f on file		Alpharetta, GA 30004		
Atlanta	Fisher, Michael S, MD	v (404) 252-4333	993-D Johnson Ferry Rd NE Ste 100 Atlanta, CA 30342		
	f on file		Atlanta, CA 30342		
Atlanta	Goldman, Gilbert C, MD	v (404) 252-4333	993D Johnson Ferry Rd NE Ste 100 Atlanta, CA 30342		
	f on file		Atlanta, CA 30342		
Atlanta	Levine, David J, MD	v (404) 252-4333	993D Johnson Ferry Rd NE Ste 100 Atlanta, CA 30342		
	f on file		Atlanta, CA 30342		
Atlanta	Luchetti, Mary Ellen, MD	v (404) 252-4333	993D Johnson Ferry Rd NE Ste 100 Atlanta, CA 30342		
	f on file		Atlanta, CA 30342		
Atlanta	Patty, Arun L, MD	v (404) 252-4333	993D Johnson Ferry Rd NE Ste 100 Atlanta, CA 30342		
	f on file		Atlanta, CA 30342		
Atlanta	Schoenfeld, David E, MD	v (404) 778-7777	875 Johnson Ferry Rd NE		
	f on file		Atlanta, CA 30342		
Dermatology, Pediatric					
Amen/US Healthcare (Perna US Healthcare HMO)					
D refer to waiting					

Fig. 7d

24x7 Patient Referral (1.3.3) [File] [Referral Form]

File Send Configure Window Help

Select Primary Care Physician
Tookay, V. (AetnaMO-3423450633)

Back Next

166

162

Aetna
us Healthcare

ENVoy

Aetna U.S. Healthcare® Electronic
Referral Entry Sheet
ENLine ENtouch 888-833-8826

Member Name [REDACTED]
Date of Referral Issue 19 Jan 2008

ENVoy ID 77789
Carrier Code 38
Your Aetna U.S. Healthcare Provider ID 94234556633
Aetna U.S. Healthcare Member ID or SSN [REDACTED]

Referred to Provider ID [REDACTED]
Name Buchheit, Mary Ellen, MD
Address 8400 A Old Milton Pkwy # 320
Dermatology

Referred to Facility ID [REDACTED]

Diagnosis Code(s) or Group(s) [REDACTED]
You may enter up to 3 diagnosis codes

Procedure Code(s) or Group(s) [REDACTED]
You may enter up to 10 procedure codes

Number of Visits [REDACTED]
Appointments Booked [REDACTED]

Place of Service Code [REDACTED]
1 - Office Visit
2 - Inpatient
3 - Outpatient
4 - Same-Day Surgery Unit

Comment Code
☐ 1 - Call me
☐ 2 - Letter to follow
☐ 3 - Patient has records
☐ 4 - Urgent/Stat
☐ 5 - Sendfax me a report
☐ 6 - Pre-admission testing
☐ 7 - Work related/MVA
☐ 8 - Second opinion
☐ 13 - Perform procedure on left side of body
☐ 14 - Bilateral procedure
☐ 15 - Pacemaker check
☐ 16 - Wet film reading required
☐ 17 - Give films to patient
☐ 18 - Progress notes required

Aetna/US Healthcare (Aetna US Healthcare HMO)

Dermatology, Pediatric


1/18/08 10:47 AM

Print Return

170

Fig. 7e

Figure 8







Fig. 10






ATTORNEY DOCKET NO.
ZANS.10001NP

APPLICATION FOR UNITED STATES PATENT
DECLARATION AND POWER OF ATTORNEY

As a below named inventor, I declare that my residence, post office address, and citizenship are as stated below next to my name; that I verily believe that I am the original, first and sole inventor if only one name is listed below, or an original, first and joint inventor if plural inventors are named below, of the subject matter which is claimed and for which a patent is sought on the invention entitled as set forth below, which is described in the attached specification; that I have reviewed and understand the contents of the specification, including the claims, as amended by any amendment specifically referred to in the oath or declaration; that no application for patent or inventor's certificate on this invention has been filed by me or my legal representatives or assigns in any country foreign to the United States of America; and that I acknowledge my duty to disclose information which is material to the patentability of this application in accordance with Title 37, Code of Federal Regulations, section 1.56;

I further declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true, and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

TITLE OF INVENTION: Healthcare Information Network		
POWER OF ATTORNEY: I HEREBY APPOINT THE FOLLOWING ATTORNEYS TO PROSECUTE THIS APPLICATION AND TRANSACT ALL BUSINESS IN THE PATENT AND TRADEMARK OFFICE CONNECTED THEREWITH Rodney M. Anderson, Reg. No. 31,939, Stephen L. Levine, Reg. No. 33,413, Alan W. Lintel, Reg. No. 32,478		
SEND CORRESPONDENCE TO: Alan W. Lintel 12160 Abrams Rd. Suite 111 Dallas, Texas 75243-4523 (972) 664-9595	DIRECT TELEPHONE CALLS TO: Alan W. Lintel Phone Number: (972) 664-9595 Fax Number: (972) 664-9606	
INVENTOR	RESIDENCE & POST OFFICE ADDRESS	CITIZENSHIP
NAME: Albert G. Lintel III Signature:  Date: 2/2/00	486 Huntcliff Green Atlanta, Georgia 30350 US	US
NAME: Joseph A. Vascio Signature:  Date: 2-02-00	5610 Kennemore Drive Alpharetta, Georgia 30004 US	US
NAME: Joseph L. Helmick Signature:  Date: 02 FEB 2000	5090 Larry Lane Atlanta, Georgia 30068 US	US